## THE EPINEPHRINE THAT DOESN'T REQUIRE DEEP POCKETS

## Indication

SYMJEPI® is indicated in the emergency treatment of allergic reactions (Type 1) including anaphylaxis to stinging insects (e.g., order Hymenoptera, which include bees, wasps, hornets, yellow jackets and fire ants) and biting insects (e.g., triatoma, mosquitoes), allergen immunotherapy, foods, drugs, diagnostic testing substances (e.g., radiocontrast media) and other allergens, as well as idiopathic anaphylaxis or exercise-induced anaphylaxis.

### Important Safety Information WARNINGS AND PRECAUTIONS

• You should get emergency medical care right away after using the product.

#### CONTRAINDICATIONS

None.

### WARNINGS AND PRECAUTIONS (CONT.)

 You may need to use a second SYMJEPI (epinephrine) injection if symptoms continue or recur. Only a healthcare provider should give additional doses of epinephrine if you need more than 2 injections for a single anaphylaxis episode.

Please see additional Important Safety Information throughout this brochure. Please see the full Prescribing Information, also available at SYMJEPI.com.

## AFFORDABLE. PORTABLE. SIMPLE.<sup>14</sup>

If you have a severe allergy, it is extremely important to have an epinephrine (eh-pih-nef-rine) device on hand. **Epinephrine** is a medicine commonly used to reverse anaphylaxis (an-a-filax-sis). **Anaphylaxis** is a potentially fatal allergy emergency that can cause coughing, wheezing, and even cause your throat to swell and make it hard to breathe.<sup>5</sup>

Unfortunately, many people who have been prescribed an epinephrine device by their doctor don't have it when they need it.



who needed their epinephrine device did ple not have it on hand<sup>6</sup>

That's why we made SYMJEPI® affordable and small enough to carry with you wherever you go.  $^{1\!3\!,\!4}$ 

## \$

## **AFFORDABLE**<sup>1,7,8</sup>

SYMJEPI<sup>®</sup> has the lowest list price among available epinephrine devices.<sup>1</sup>There are also additional ways to save money:

### SYMJEPI<sup>®</sup> Savings Program<sup>7</sup>

- Pay as little as a <sup>\$</sup>0 co-pay or save up to <sup>\$</sup>100 off each SYMJEPI prescription filled
- For full details, visit SYMJEPI.com

## Walgreens Prescription Savings Club<sup>8</sup>

- \$99.99 per prescription
- Requires membership in the Walgreens Prescription Savings Club. The program is NOT insurance and requires payment of an annual membership fee
- For full details, visit www.walgreens.com/psc/ prescription-savings-club

## Important Safety Information (cont.) WARNINGS AND PRECAUTIONS (CONT.)

 Symjepi should only be injected into the middle of your outer thigh (upper leg) with the needle facing downwards. Never inject into any other part of the body. If you accidentally inject SYMJEPI into any other part of your body, go to the nearest emergency room right away. Tell the healthcare provider where on your body you received the accidental injection. Symjepi can be injected through your clothing if needed.

# DESIGNED TO BE WITH YOU WHEN YOU NEED IT

## **PORTABLE**<sup>®</sup><sup>II</sup>

Compact, prefilled syringe with a thinner needle than the most widely used epinephrine auto-injector



## SIMPLF<sup>4</sup>

Easy to use and shown to be used without any mistakes in a patient experience study



shorter than the most commonly used epinephrine auto-injector.2,3,\*

Insert

Needle

Thigh

After

se Call 911

Pull

off

Can

Actual size vs the most widely used epinephrine auto-injector (shown in orange)

Compact design with 1 dose of epinephrine<sup>12</sup>

Thinner needle than the leading epinephrine auto-injector<sup>10,11</sup>

**Controlled plunger** 

releases medicine when you need it<sup>12</sup>

## **Clear window**

lets you make sure you've given the dose; it is normal for most of the medicine to remain in the syringe after the dose has been iniected<sup>12</sup>

#### Sturdy needle safety guard

for safe and secure handling<sup>12</sup>

\*SYMJEPI is not an auto-injector.

## Important Safety Information (cont.) WARNINGS AND PRECAUTIONS (CONT.)

 The needle cap on the SYMJEPI prefilled syringe helps to prevent needle sticks and accidental injection of epinephrine. Do not remove the needle cap until you are ready to use it.

Please see additional Important Safety Information throughout this brochure. Please see the full Prescribing Information, also available at SYMJEPI.com.

## SYMJEPI IS GIVEN IN... 4 SIMPLE STEPS<sup>12</sup>

## READY



When ready to use SYMJEPI, pull cap off to expose needle.

To ensure epinephrine does not leak by accident, do not touch the plunger until the needle is fully inserted.

## STEADY



While in a seated position, hold the device by the finger grips. Face the needle downward and slowly insert into the thigh.

SYMJEPI can be injected through clothing if necessary.



Pul

## Important Safety Information (cont.) WARNINGS AND PRECAUTIONS (CONT.)

- Never put your thumb, fingers, or hand over the exposed needle.
- If an accidental injection happens, get medical help right away.
- Do not drop the carrier case or SYMJEPI prefilled syringe. If the carrier case or prefilled syringe is dropped, check for damage and leakage. Dispose of the prefilled syringe and carrier case, and replace if damage or leakage is noticed or suspected.



After needle is in the thigh, push the plunger all the way down until it clicks. Hold for 2 seconds. Remove syringe and massage the area for 10 seconds.

The correct dose has been injected if the plunger has been pushed all the way down and the solution window is at least partially blocked. PROTECT

Once the injection has been given, **use one hand—with** your fingers behind the needle—to slide the safety guard up until it clicks to cover the needle.

You may need a second SYMJEPI injection if symptoms continue or recur. More than 2 doses in a row should only be administered under direct medical supervision

IMPORTANT NOTE: SYMJEPI should ONLY be injected into the middle of the outer thigh. Do not inject into the vein, buttock, fingers, toes, hands, or feet. If an accident happens and you inject SYMJEPI into another part of your or your child's body, seek medical attention immediately.<sup>9</sup>

## Get emergency medical help immediately after using SYMJEPI.<sup>12</sup>

Tell the healthcare provider that epinephrine was given. Use second syringe if symptoms continue or recur.

## Important Safety Information (cont.) WARNINGS AND PRECAUTIONS (CONT.)

• Do not place patient information or any other foreign objects in the carrier case with the prefilled syringe, as this may prevent you from removing the prefilled syringe for use.

Please see additional Important Safety Information throughout this brochure. Please see the full Prescribing Information, also available at SYMJEPI.com.

## ALWAYS BE PREPARED WITH SYMJEPI

## Keep SYMJEPI in its plastic case nearby and ready for use at all times<sup>12</sup>


## How to store SYMJEPI:

- Store at room temperature between 68°F and 77°F (20°C-25°C). Do not expose to extreme cold or heat. For example, do not store in your vehicle's glove box and do not store in the refrigerator or freezer
- Store the SYMJEPI syringe in its closed plastic case to protect from light

For more information about SYMJEPI and to order a SYMJEPI training device, go to SYMJEPI.com/ Order\_a\_SYMJEPI\_training\_device

### Important Safety Information (cont.) WARNINGS AND PRECAUTIONS (CONT.)

- If you inject a young child with SYMJEPI, hold their leg firmly in place before and during the injection to prevent injuries. Ask your healthcare provider to show you how to properly hold the leg of a young child during injection.
- Before using SYMJEPI, tell your healthcare provider about all of your medical conditions, including if you:
  - have heart problems or high blood pressure.
  - have diabetes.



#### Important Safety Information (cont.) WARNINGS AND PRECAUTIONS (CONT.)

- ✓ have thyroid problems.
- 🗸 have asthma.
- ✓ have a history of depression.
- have Parkinson's disease.
- are pregnant or plan to become pregnant. It is not known if epinephrine will harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known if epinephrine passes into your breast milk.

Please see additional Important Safety Information throughout this brochure. Please see the full Prescribing Information, also available at SYMJEPI.com.

## Important Safety Information (cont.) ADVERSE REACTIONS

SYMJEPI may cause serious side effects.

- Rarely, patients who have used SYMJEPI may develop infections at the injection site within a few days of an injection. Some of these infections can be serious. Call your healthcare provider right away if you have any of the following at an injection site:
  - redness that does not go away
  - swelling
  - tenderness
  - the area feels warm to the touch
- Cuts on the skin, bent needles, and needles that remain in the skin after the injection, have happened in young children who do not cooperate and kick or move during the injection.
- If you have certain medical conditions, or take certain medicines, your condition may get worse or you may have longer lasting side effects when you use your SYMJEPI. Talk to your healthcare provider about all your medical conditions.

References: 1. ProspectoRx data for epinephrine devices, December 2020. 2. Therapy Research Center, Emergency epinephrine injection devices. Accessed February 4, 2021. https://pharmacist. therapeuticresearch.com 3. Portnoy J, Wade RL, Kessler C. Patient carrying time, confidence, and training with epinephrine autoinjectors: The RACE Study. *J Allergy Clin Immunol Pract.* 2019;7(7):2252-2261. doi:10.1016/j.jaip.2019.03.021 4. Moss RB, Daniels K, Moll T, Carlo DJ. Huma factors study in untrained adolescents comparing a recently approved single-dose epinephrine prefilled syringe with an approved autoinjector. *Ann Allergy Asthma Immunol.* 2018;120(5):540-541. doi:10.1016/j. anai.2018.02.027 5. WebMD website. Allergies and Anaphylaxis. Accessed March 11, 2021. https:// www.webmd.com/allergies/anaphylaxis 6. Warren CM, Zaslavsky JM, Kan K, Spergel JM, Gupta RS. Epinephrine auto-injector carriage and use practices among US children, adolescents, and adults. *Ann Allergy Asthma Immunol.* 2018;121(4):479-489.e2. doi:10.1016/j.anai.2018.06.010 7. Symjepi [Savings Program]. San Diego, CA: Adamis Pharmaceuticals Corporation; 2020. 10. Stecher D, Bullock B, Sales J, Schaefer C, Keahey L. Epinephrine auto-injectors: is needle length adequate for delivery of epinephrine intramuscularly? *Pediatrics*: 2009;124(1):65-70. doi:10.1542/peds.2008-3388 11. Greenberger PA, Wallace DV, Lieberman PL, Gregory SM. Contemporary issues in anaphylaxis and the evolution of epinephrine auto-injectors: what will the future bring? *Ann Allergy Asthma Immunol.* 2017;119:333-338 doi:10.1016/j.anai.2017.07.030 12. Symjepi [Instructions for Use]. San Diego, CA: Adamis Pharmaceuticals Corporation; 2020. 13. RxAssist US WORLDMEDS Patient Assistance Program. Accessed March 10, 2021. https://www.rxassist.org/pap-info/company-detail?Cmpld=767

#### Important Safety Information (cont.) ADVERSE REACTIONS (CONT.)

Common side effects of SYMJEPI include:

- fast, irregular or "pounding" heartbeat
- sweating
- headache
- weakness
- shakiness
- paleness
- feelings of over excitement, nervousness or anxiety
- dizziness
- nausea and vomiting
- breathing problems

These side effects may go away with rest. Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

These are not all the possible side effects of SYMJEPI. For more information, ask your healthcare provider or pharmacist.

#### DRUG INTERACTIONS

- Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.
- Tell your healthcare provider of all known allergies.
- Especially tell your healthcare provider if you take certain asthma medicines.
- SYMJEPI and other medicines may affect each other, causing side effects. SYMJEPI may affect the way other medicines work, and other medicines may affect how SYMJEPI works.
- Know the medicines you take. Keep a list of them to show your healthcare provider and pharmacist when you get a new medicine.

To report SUSPECTED ADVERSE REACTIONS or product complaints, contact US WorldMeds at 1-877-SYMJEPI or FDA at 1-800-FDA-1088 or www.fda.gov/ medwatch.

Please see additional Important Safety Information throughout this brochure. Please see the full Prescribing Information, also available at SYMJEPI.com.

## THE EPINEPHRINE THAT DOESN'T REQUIRE DEEP POCKETS





**AFFORDABLE**<sup>1</sup>

The lowest list price among available epinephrine devices

## SYMJEPI Savings Program<sup>7</sup>

- Pay as little as a <sup>\$0</sup> co-pay or save up to <sup>\$100</sup> off each SYMJEPI prescription filled\*
- For full details, visit SYMJEPI.com





## **PORTABLE**<sup>•</sup>"

Compact, prefilled syringe with a thinner needle than the most widely used epinephrine auto-injector



## **SIMPLE**<sup>4</sup>

Easy to use and shown to be used without any mistakes in a patient experience study

#### No Insurance?<sup>13</sup>

Eligible patients without health insurance can apply for the US WorldMeds Patient Assistance Program (UPAP), which provides SYMJEPI at no cost to those patients who meet certain income requirements.

For full details, visit SYMJEPI.com/patient\_assistance\_program

\*Offer is not insurance and is not valid for patients who are enrolled in Medicaid, Medicare, TRICARE, or any other similar state-funded or federally funded programs.

The actual savings on out-of-pocket costs for SYMJEPI will vary according to quantity, personal healthcare insurance coverage, and adherence to FDA dosing guidelines. For more information about the SYMJEPI Savings Program, please review the Terms and Conditions on SYMJEPI.com.

Patients without insurance coverage of SYMJEPI will save up to \$100 off each SYMJEPI prescription filled. Maximum benefits per claim apply: \$200 maximum for insured, covered patients; \$100 maximum benefit for insured, not covered, and not insured/cash payments. Offer applies to a maximum 6 (2 packs) per claim. Annual maximum benefit is \$1000. Any additional amounts due are your responsibility.

For more information and additional support resources, go to SYMJEPI.com

Please see additional Important Safety Information throughout this brochure. Please see the full Prescribing Information, also available at SYMJEPI.com.



SYMJEPI is a registered trademark of Adamis Pharmaceuticals Corporation. ©2021 USWM, LLC. All rights reserved. USWMSYMJ-00118 05/21